	Application No.		Applicant(s)	
Notice of Allowability	09/808,162		YAMAZAKI ET AL.	
	Examiner		Art Unit	
	Viktor Simko	vic	2812	
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308. 1. ☑ This communication is responsive to 777/03.				
2. ☑ The allowed claim(s) is/are <u>1-14</u> .				
3. Mach drawings filed on 13 March 2001 are accepted by the Examiner.				
 Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). All b) ☐ Some* c) ☐ None of the: 				
1. Certified copies of the priority documents have been received.				
2. ☑ Certified copies of the priority documents have been received in Application No. 09/386,782.				
Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).				
* Certified copies not received:				
5. Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application).				
(a) The translation of the foreign language provisional application has been received.				
6. ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121.				
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.				
7. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.				
8. CORRECTED DRAWINGS must be submitted. (a) Including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached 1) hereto or 2) to Paper No (b) Including changes required by the proposed drawing correction filed, which has been approved by the Examiner. (c) Including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No				
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet.				
9. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.				
Attachment(s)				
Notice of References Cited (PTO-982) Notice of Drattproor's Patent Drawing Review (PTO-948) Information Disclosure Statements (PTO-1449), Paper No Examiner's Comment Regarding Requirement for Deposit of Biological Material		2 Notice of Informa 4 Interview Summa 6 Examiner's Amer 8 Examiner's State 9 Other	ary (PTO-413), Paper ndment/Comment	No

Application/Control Number: 09/808,162

Art Unit: 2812

DETAILED ACTION

Allowable Subject Matter

Claims 1-14 are allowed.

The following is an examiner's statement of reasons for allowance: Applicant has amended claims 13 and 14 to differ them from claims 1 and 2 of U.S. Pat. 6,335,231. Applicant has also pointed out the difference between claim 3 of the present application and claim 3 of U.S. Pat. 6,335,231. Regarding the prior art, as stated in a previous action, the most relevant reference, as in the parent case, is Hasegawa. The Hasegawa patent, which was the main reference teaching a silicon substrate with a main face of (110) did not teach a method of forming a semiconductor device in which the active layer of the device consisted of a single crystal layer having a face of (1 10) which was originally part of the substrate. In Hasegawa, the active device layer is a single crystal layer having a (1 10) face which was grown on top of the substrate using the substrate as a seed, and was therefore on the other side of the insulating layer, unlike the process described in independent claims 1-2.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance"

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Viktor Simkovic whose telephone number is 703-308-

Application/Control Number: 09/808,162

Art Unit: 2812

6170. The examiner can normally be reached on Mon - Fri, 9:00 - 6:00, except every other Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, John Niebling can be reached on 703-308-3325. The fax phone number for the organization where this application or proceeding is assigned is (703) 872-9306.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 703-308-1782.

July

Viktor Simkovic September 30, 2003